PART NO	1-9	10-24	25-49	50-99	100+
329PC-PZ	$17.50	$16.75	$16.25	$15.75	$15.25



6. VSWR NOT TO EXCEED 1.20:1 FROM DC TO 11.0 GHz
   & 1.30:1 FROM 11GHz TO 18 GHz
5. RECEPTACLE TO MEET OR EXCEED ALL SPECIFICATIONS PER MIL-39012
4 RECEPTACLE TO MEET FCC PART 15.203 REQUIREMENT
3. FINISH:
   BODY AND COUPLING NUT: NICKLE PER QQ-N-290
   CONTACT: GOLD PER MIL-G-45204: TYPE II,
   CLASS 2, OVER COPPER PER MIL-C-14550, CLASS 4
2. MATERIAL:
   BODY: BRASS PER QQ-B-626
   CONTACT: BERYL. COPPER PER QQ-C-530
   & BRASS PER QQ-B-626
   COUPLING NUT: BRASS PER QQ-B-626
   INSULATOR: TEFLON PER MIL-P-19468A
1. MATING DIMS IN ACCORDANCE WITH MIL-STD-348

NOTES :



WEIGHT	SCALE
N/A	NONE

TOLERANCES AND NOTES EXCEPT AS NOTED
DIMENSIONS ARE IN INCHES
LINEAR XX ± .015 ANGULAR ± 1/2 ° FRACTION ± 1/32
XXX ± .005
1. MACHINE FINISH 63 RMS

2 . BREAK ALL SHARP EDGES .002
3. ALL MACHINED FILLLETS
4. ALL MACHINED SURFACESS SQUARE TO RESPETIVE AXIS WITHIN .003 PER INCH.
5. MACHINED DIAMETERS TO BE . CONCENTRIC WITHIN .002 - .003 T.I.R.
6. DIMENSIONS TO BE MET BEFORE PLATING.
7. CHAMPER ALL THDS .45 DEGREES
8. THREADS PER H-2B
9. REMOVE FRAYED EDGES ON TEFLON.
10. REMOVE ALL BURRS.

MATERIAL	SIZE	SPECIFICATION	PROCUREMENT

APPR.		
ENG.		
CHK.		
DR.		

UNITED MICROWAVE PRODUCTS Inc.

BULKHEAD FEED MOUNT THROUGH REVERSE POLARITY

329PC-PZ